

## 1/1 - (C) FILE CAPLUS

AN - 2001:164786 CAPLUS  
 DN - 134:179309  
 ED - Entered STN: 09 Mar 2001  
 TI - Vegetable oil-modified benzoxazine precursors for elec. insulators and braking materials and their preparation  
 IN - Gu, Yi; Han, Hui; Ling, Hong; Huang, Yi; Xie, Meili; Liu, Xinhua  
 PA - Sichuan United University, Peop. Rep. China  
 SO - Faming Zhuanli Shenqing Gongkai Shuomingshu, 8 pp.  
 CODEN: CNXXEV  
 DT - Patent  
 LA - Chinese  
 IC - ICM C08F242-00  
 CC - 37-3 (Plastics Manufacture and Processing)  
 Section cross-reference(s): 38, 45

## FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PN	CN1259530	CN	1999-114603	19990106	
	CN1126769B			CN 1999-114603	19990106

## CLASS

PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
CN 1259530	ICM	C08F242-00

OS - MARPAT 134:179309

AB - The vegetable oil-modified benzoxazine precursors are prepd. from starting materials contg. phenol 40-70, vegetable oils 10-35, primary amines 20-70, and formaldehyde (30-40%) 45-100 parts; and dispersing the reaction products with 4-10 parts dispersing agents. The polymers obtained by ring-opening polymn. of the precursors with curing agents or in the presence of catalysts are useful for elec. insulators and braking materials using at >155.degree.. Thus, glass fabric was impregnated in a 50% soln. of 90 parts benzoxazine precursor (using in resin transfer molding) and 10 parts tung oil-modified benzoxazine precursor (prepd. from phenol, tung oil, formaldehyde, and aniline), and laminated to give a laminate having bending strength 767.1 MPa, vs. 235.9 MPa for a laminate with no vegetable oil-modified benzoxazine precursors.

ST - vegetable oil modified benzoxazine precursor prepn; phenol formaldehyde vegetable oil amine benzoxazine; benzoxazine vegetable oil modified elec insulator; brake material vegetable oil modified benzoxazine

IT - Polymers, preparation

RL: IMF (Industrial manufacture); POF (Polymer in formulation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses) (benzoxazine-based; prepn. of vegetable oil-modified benzoxazine precursors for elec. insulators and braking materials)

IT - Cashew (Anacardium occidentale)

RL: RCT (Reactant); RACT (Reactant or reagent) (nutshell liq.; prepn. of vegetable oil-modified benzoxazine precursors for elec. insulators and braking materials)

IT - Acids, uses

RL: CAT (Catalyst use); USES (Uses)

- (org. and inorg.; prepn. of vegetable oil-modified benzoxazine precursors for elec. insulators and braking materials)
- IT - Brakes (mechanical)  
Electric insulators  
Laminated materials  
(phenolic resin binders for brake materials and elec. insulators from vegetable oil-modified benzoxazine precursors)
- IT - Phenolic resins, preparation  
RL: IMF (Industrial manufacture); POF (Polymer in formulation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)  
(phenolic resin binders for brake materials and elec. insulators from vegetable oil-modified benzoxazine precursors)
- IT - Glass fiber fabrics  
RL: MOA (Modifier or additive use); USES (Uses)  
(phenolic resin binders for brake materials and elec. insulators from vegetable oil-modified benzoxazine precursors)
- IT - Crosslinking agents  
Crosslinking catalysts  
(prepn. of vegetable oil-modified benzoxazine precursors for elec. insulators and braking materials)
- IT - Lewis acids  
RL: CAT (Catalyst use); USES (Uses)  
(prepn. of vegetable oil-modified benzoxazine precursors for elec. insulators and braking materials)
- IT - Castor oil  
RL: RCT (Reactant); RACT (Reactant or reagent)  
(prepn. of vegetable oil-modified benzoxazine precursors for elec. insulators and braking materials)
- IT - Linseed oil  
RL: RCT (Reactant); RACT (Reactant or reagent)  
(prepn. of vegetable oil-modified benzoxazine precursors for elec. insulators and braking materials)
- IT - Tung oil  
RL: RCT (Reactant); RACT (Reactant or reagent)  
(prepn. of vegetable oil-modified benzoxazine precursors for elec. insulators and braking materials)
- IT - Amines, reactions  
RL: RCT (Reactant); RACT (Reactant or reagent)  
(primary; prepn. of vegetable oil-modified benzoxazine precursors for elec. insulators and braking materials)
- IT - Polymerization  
(ring-opening; prepn. of vegetable oil-modified benzoxazine precursors for elec. insulators and braking materials)
- IT - Fats and Glyceridic oils, reactions  
RL: RCT (Reactant); RACT (Reactant or reagent)  
(vegetable; prepn. of vegetable oil-modified benzoxazine precursors for elec. insulators and braking materials)
- IT - 100-97-0, uses  
RL: MOA (Modifier or additive use); USES (Uses)  
(curing agents; prepn. of vegetable oil-modified benzoxazine precursors for elec. insulators and braking materials)
- IT - 7646-85-7, Zinc chloride, uses

RL: CAT (Catalyst use); USES (Uses)

(curing catalysts; prepn. of vegetable oil-modified benzoxazine precursors for elec. insulators and braking materials)

IT - 254-18-2DP, Benzoxazine, derivs., polymers

RL: IMF (Industrial manufacture); POF (Polymer in formulation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)  
(prepn. of vegetable oil-modified benzoxazine precursors for elec. insulators and braking materials)

IT - 50-00-0, Formaldehyde, reactions 62-53-3, Aniline, reactions 74-89-5, Methylamine, reactions 75-04-7, Ethylamine, reactions 100-46-9, Benzylamine, reactions 108-95-2, Phenol, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)

(prepn. of vegetable oil-modified benzoxazine precursors for elec. insulators and braking materials)

BLANK PAGE